



Tablet PC Plus 301

The perfect combination of high performance, ruggedness, and advanced features in a compact, durable design.

The Plus 301 Tablet PC combines rugged construction with high performance in a compact form factor. Featuring Android 12, an Octa-Core processor, 8 GB RAM, IP65 protection, and up to 7 hours of battery life, it is ideal for data collection, logistics, and field operations. It includes NFC, a 13 MP camera, an optional 2D module, and GPS+GLONASS+BeiDou positioning for maximum accuracy.

COD: PRPCPL058

PLURISERVICE CODE PRPCPL058

OPERATING SYSTEMS



Android

DESCRIPTION

High performance, ruggedness, and advanced features in a compact, durable design

Designed to meet the needs of professionals and businesses, the Plus 301 Tablet PC combines high performance, ruggedness, and advanced features in a compact, durable form factor. Featuring the Android 12 (GMS) operating system, it is ideal for business applications in sectors such as logistics, warehousing, technical inspections, and field management.

Equipped with an 8" IPS display (800×1280) with 700 nits brightness, it ensures optimal visibility even in outdoor environments. The 5-point capacitive touchscreen provides fast and accurate response.

Thanks to its IP65 certification, it resists dust, water, shocks, and drops from heights of up to 1.22 m, making it perfect for harsh environments and field operations.

TECHNICAL SPECIFICATIONS

Operating System: Android 12 (GMS) Processor: MT6789 ARM (Octa-Core), 2.0GHz

Memory: 8 GB RAM – 128 GB Storage (Hard Disk)

Dimensions: 227.7 x 150.8 x 24.7 mm

Weight: 680 g

Display: 8" IPS 16:10, 800×1280, 700 nits

Touchscreen: 5-point G+G capacitive touch screen

Interfaces: 1 x USB 2.0 Type-A, 1 x USB Type-C, 1 x SIM Card slot, 1 x TF Card slot, 1 x 12-pin Pogo Pin, 1 x Ø3.5mm standard headphone jack, 1 x Ø3.5mm DC jack

WiFi: WiFi 802.11 a/b/g/n/ac (2.4G+5G)

Bluetooth: BT 5.2, 10m transmission distance

Cellular (2G/3G/4G): GSM: B2/B3/B5/B8

NFC: Integrated, 13.56 MHz, supports ISO/IEC 14443A protocol

2D Scanner: Optional; Optical resolution: 5mil; Scan speed: 50 frames/s

Battery: Integrated Li-polymer battery, 3.7V/6000mAh; 7-hour battery life (tested at 50% volume, 200 lumens brightness, playing 1080P HD video by default)

Camera: 5.0 MP Front – 13.0 MP Rear

Operating Temperature: -20 °C ~ 60 °C

Storage Temperature: -30 °C ~ 70 °C

Humidity: 95% non-condensing

Durability: IP65 certified, MIL-STD-810G certified

Drop Resistance: Up to 1.22 m